
FI FLUIDOTEHNIC

DEVICES AND SYSTEMS FOR CENTRAL LUBRICATION

CATALOG OF DEVICES

(FT www.fluidotehnic.com



FT FLUIDOTEHNIC LUBRICATION TECHNIQUE

CATALOG OF DEVICES

ABOUT COMPANY	4-5
PUMPS FOR OIL LUBRICATION	6-7
FILTERS (FOR OIL LUBRICATION)	8-9
FLOW INDICATORS	10-11
ELECTRIC MOTOR MULTILINE PUMPS	12-19
ELECTRIC MOTOR PUMPS	20-22
ELECTRIC MOTOR PUMP FOR CENTRAL SUPPLEMENT	23
ELECTRIC MOTOR PUMP FOR GREASE TRANSFER	24-25
PNEUMATIC PUMP FOR LUBRICATION	26
PNEUMATIC PUMP FOR OIL DRAFT	27
DUAL LINE HAND PUMP	28
HAND PUMP (FOR LUBRICANT TRANSFER)	29
FOOT PUMP (FOR GREASE LUBRICATION)	30
POWER UNIT FOR MULTILINE LUBRICATION	31-33
UNIT FOR DUAL LINE LUBRICATION	34-37
ELECTRIC COMPACT UNIT (FOR SINGLE GREASE LUBRICATION)	38
PNEUMATIC PUMP FOR SINGLE LUBRICATION	39
PNEUMATIC UNIT FOR SINGLE LUBRICATION ON CART	40
ELECTRIC CONTROL UNIT	41
DOSING DISTRIBUTORS	42-45
CHANGE-OVER VALVES	46-52
CONTROL DEVICES	53-55
PRESSURE RELIEF VALVE	56
PRESSURE LINE FILTER (FOR GREASE LUBRICATION SYSTEMS)	57
GUN FOR LUBRICATION	58





- FLUIDOTEHNIC's production program is based on its own development. Thanks to that, all the
 products are the result of the engineering staff work, as well as the quality and skilled workers in
 manufacturing and installation. Each serial product during the conquest passes through the phase
 of prototype development, functional tests and check in real operating conditions. Following
 step is removal of all possible defects and then, based on that, test series is produced. This is how
 we achieve high quality of manufactured devices. In case of the individual production, after the
 functional testing, we deliver the product to the customer.
- Since its foundation FLUIDOTEHNIC Ltd. has been continuously investing both in the expansion
 of commercial building and the purchase of modern equipment for the production, control and
 techno-economic support. It is located in the industrial zone of Vrnjacka Banja, on a lot size ~ 2ha. It
 consists several buildings, connected into a functional whole area of 4000 m2. The whole complex
 is adjusted to the environment- we are taking good care of health, work safety and environmental
 protection.








 Market research, device development, technical assistance and personnel training free of charge for all our customers is the main task of this service. Many years of experience in the development tasks of hydraulics, pneumatics and lubrication techniques, as well as t the latest computer technology guarantee that our custumers will get the optimum technical solution. During the development, every device passes precisely defined procedure, starting from making the design concept, followed by manufacturing and testing prototypes and going into production.

It consists of several facilities and departments: foundry of non-ferrous metals, mechanical drive, locksmith department, installation and technical control. All operations from the casting to the final machining are performed with the universal and software machines. Control and assembly is 100%. When the assembly is finished, each device is being tested on the test stand and on the basis of the results it gets the appropriate certificates and guarantees. On each call of the user, service teams come in as soon as possible, with spare parts and the necessary tools, regardless of whether the equipment is in warranty or out of warranty period.







ELECTRIC MOTOR PUMP FOR GREASE TRANSFER



Electric driven pump type 10-4000 is applied for charging other pumps in centralized lubrication systems, as well as for lubricant transfer from one tank to another. It is suitable for operation in very hard working conditions (excavators for surface exploitation, iron plants, cement works). This gear pump is designed for operating with grease. The filter installed on intake line protects the pump and the whole system of impurities. The pressure relief valve installed on pressure line protects the pump of overload. The pump is designed to be directly mounted to a standard grease barrel of 200dm³. The pump has a rubber hose 16x3000 mm, and the binding site for crane, for easier barrels replacement.





Ordering code		10 - 4000
Fluid	Grease	NLGI ≤3
	Temperature	-10 ; +60 °C
Displacement		6 dm³/min
Operating pressure		25 bar
Electric motor	Power	0,55kW
	Voltage	3x400V 50Hz
	rpm	910 rpm
Mass		43 kg



ELECTRIC MOTOR PUMP FOR GREASE TRANSFER WITH CRANE





Electric driven pump type 10-4000/D is applied for charging other pumps in centralized lubrication systems, as well as for lubricant transfer from one tank to another. It is suitable for operation in very hard working conditions (excavators for surface exploitation, iron plants, cement works). This gear pump is designed for operating with grease. The filter installed on intake line protects the pump and the whole system of impurities. The pressure relief valve installed on pressure line protects the pump of overload. The pump is designed to be directly mounted to a standard grease barrel of 200dm³. The rubber flexible hose 16x3000mm is included in complet.

NOTE:


Pump has the crane and a base for easy handling (replacement of barrels).







Ordering code		10 - 4000/D
Fluid	Grease	NLGI ≤3
	Temperature	-10 ; +60 °C
Displacement		6 dm³/min
Operating pressure		25 bar
Electric motor	Power	0,55kW
	Voltage	3x400V 50Hz
	rpm	910 rpm
Mass		97 kg





SERBIA 36210 VRNJACKA BANJA Rudjinci 175/A tel/fax: +381-36-631-710 E-mail: office@fluidotehnic.com Web: www.fluidotehnic.com Matični broj: 06568939 Šifra delatnosti: 2822 PIB: 100918689 Reg. broj: 11506568939 Br. Reg. Upisa: 1-14429-00



EC DECLARATION OF CONFORMITY / DECLARATION ON INSTALLATION

DEKLARACIJA O USAGLAŠENOSTI / DEKLARACIJA O UGRADNJI

We hereby declare that the following products

Izjavljujemo da su sledeći uređaji

Electric driven pumps for grase lubrication (Elektromotorne pumpe za podmazivanje mastima) Power unit for oil lubrication (Elektromotorni uređaj za podmazivanje uljima) Pneumatic pumps for lubrication (Pneumatske pumpe za podmazivanje mastima) Two line dosing distributors (Dvolinijski dozatori) Progressive doser distributors (Progresivni dozatori) Change-over valves (Hidraulički razvodnici) Electric driven change-over valves (Elektromotorni razvodnici) Pressure and flow valves (Ventili pritiska i protoka)

Are designed and produced in accordance with the safety requirements according to the following regulations:

Projektovani i proizvedeni u skladu sa bezbednosnim zahtevima prema sledećim propisima:

Machinery Directive EC/2006/42 (Mašinska direktiva EC/2006/42)

Low voltage directive EC/2014/35 (Niskonaponska direktiva EC/2014/35)

in accordance with the following standards:
i u skladu sa sledećim standardima:
Safety of machinery - General principles for design
Risk assessment and risk reduction EN ISO 12100:2010
Bezbednost mašina - Opšti principi za projektovanje
Ocena rizika i smanjenje rizika SRPS ISO 12100:2014

Safety of machinery - Electrical equipment of machines - Part 1: EN 60204-1:2016 Bezbednost mašina - Električna oprema mašina - Deo 1: EN 60204-1:2016

Declaration on installation in the sense of EC Machinery Directive (2006/42/EC) Annex II B

Izjava o ugradnji u skladu sa EC Mašinskom direktivom (2006/42/EC) Anex II B

Product of "FLUIDOTEHNIC" assemble into mechanical devices and equipement. Start-up is not admissible unless it has been verified that the whole equipment, meets the requirements defined in the EC machinery Directive (2006/42/EC)

Proizvod "FLUIDOTEHNIC"-a se ugrađuje u drugu opremu i dodatne uređaje. Pokretanje nije dozvoljeno sve dok i relevantna oprema u koju se ugrađuju ne bude u skladu sa Mašinskom direktivom (2006/42/EC)

The manufacturer undertakes to supply the relevant information of incomplete machine on request to responsible inspector by electronic way. Technical documents of the machine is prepared in accordance with Annex VII, part B Machinery Directive (2006/42/EC)

Proizvođač se obavezuje da će elektronskim putem dostaviti odgovarajuće podatke o delimično završenoj mašini nadležnom inspektoru na njegov zahtev. Tehnička dokumentacija je izrađena u skladu sa Anexom 7, deo B Mašinske direktive.

Vrnjačka Banja, 01/02/2017 godine



The EC Declaration of Conformity is only valid in conjunction with confirmation that the device has been correctly applied, installed, inspected and maintained according to the operating instructions provided. The validity of the declaration will cease in case of any modification and/or supplement not previously approved by "FLUIDOTEHNIC".

Ova deklaracija o usaglašenosti važi samo u slučaju da je uređaj pravilno ugrađen, iskontrolisan i da se koristi i održava u skladu sa uputstvom za rukovanje i održavanje. Važenje izjave prestaje u slučaju bilo kakve modifikacije ili dodatka koji nisu prethodno odobreni od "FLUIDOTEHNIC"-a.



Fluidotehnic d.o.o. Serbia 36210 Vrnjacka Banja Rudjinci 175/A Tel: +381-(0)36-631-710 +381-(0)36-631-711 Fax: +381-(0)36-631-712 www.fluidotehnic.com office@fluidotehnic.com

6

© Fluidotehnic doo 02/2018